

Plastic-Coated, Shatter-Resistant Compact Fluorescent Lamps



A versatile, high-efficiency replacement for incandescent lamps, Shat-R-Shield's plastic-coated, shatter-resistant compact fluorescent lamps offer superior performance, longer life, compact design and safety from the risks of broken glass.

shat-r-shield[®] INC.
PLASTIC-COATED, SHATTERPROOF LAMPS & LIGHTING PRODUCTS



PLASTIC-COATED, SHATTER-RESISTANT COMPACT FLUORESCENT LAMPS


Nominal Watts	Bulb	Base	UPC/ Catalog Order#	Ordering Description	Std. Pkg. Qty.	Kelvin Temp/ Color	Length (Inches)	Design Lumens	CRI
CFL-S (2-Pin)			High color rendering, high efficacy, long life compact fluorescent lamps with integral starter. For operation with preheat electromagnetic ballast.						
5	CFL-S	G-23	88100	CFL-S/5W/827*	10	2700K	4 ¹ / ₈	250	82
7	CFL-S	G-23	88110	CFL-S/7W/827*	10	2700K	5 ¹ / ₄	340	82
			88112	CFL-S/7W/835*	10	3500K	5 ¹ / ₄	340	82
			88113	CFL-S/7W/841*	10	4100K	5 ¹ / ₄	340	82
			88114	CFL-S/7W/850*	10	5000K	5 ¹ / ₄	320	82
9	CFL-S	G-23	88120	CFL-S/9W/827*	10	2700K	6 ¹ / ₂	510	82
			88122	CFL-S/9W/835*	10	3500K	6 ¹ / ₂	510	82
			88123	CFL-S/9W/841*	10	4100K	6 ¹ / ₂	510	82
			88124	CFL-S/9W/850*	10	5000K	6 ¹ / ₂	485	82
13	CFL-S	GX23	88129	CFL-S/13W/827*	10	2700K	7	700	82
			88131	CFL-S/13W/830*	10	3000K	7	700	82
			88132	CFL-S/13W/835*	10	3500K	7	700	82
			88133	CFL-S/13W/841*	10	4100K	7	700	82
			88134	CFL-S/13W/850*	10	5000K	7	680	82
CFL-D (2-Pin)			High color rendering, high efficacy, long life compact fluorescent lamps with integral starter. For operation with preheat electromagnetic ballast. Featuring Philips ALTO Lamp Technology.						
13	CFL-D	GX23-2	88330	CFL-D/13W/827/2P/ALTO	10	2700K	4 ⁵ / ₈	735	82
			88331	CFL-D/13W/830/2P/ALTO	10	3000K	4 ⁵ / ₈	735	82
			88332	CFL-D/13W/835/2P/ALTO	10	3500K	4 ⁵ / ₈	735	82
			88333	CFL-D/13W/841/2P/ALTO	10	4100K	4 ⁵ / ₈	735	82
18	CFL-D	G24d-2	88340	CFL-D/18W/827/2P/ALTO	10	2700K	6	1070	82
			88341	CFL-D/18W/830/2P/ALTO	10	3000K	6	1070	82
			88342	CFL-D/18W/835/2P/ALTO	10	3500K	6	1070	82
			88343	CFL-D/18W/841/2P/ALTO	10	4100K	6	1070	82
26	CFL-D	G24d-3	88360	CFL-D/26W/827/2P/ALTO	10	2700K	6 ¹³ / ₁₆	1545	82
			88361	CFL-D/26W/830/2P/ALTO	10	3000K	6 ¹³ / ₁₆	1545	82
			88362	CFL-D/26W/835/2P/ALTO	10	3500K	6 ¹³ / ₁₆	1545	82
			88363	CFL-D/26W/841/2P/ALTO	10	4100K	6 ¹³ / ₁₆	1545	82
CFL-D (4-Pin)			High color rendering, high efficacy, long life compact fluorescent lamps featuring 4-pin base with no integral starter. For operation with rapid start electronic and dimming ballasts. Featuring Philips ALTO Lamp Technology.						
13	CFL-D	G24q-1	88530	CFL-D/13W/827/4P/ALTO	10	2700K	5 ³ / ₁₆	775	82
			88531	CFL-D/13W/830/4P/ALTO	10	3000K	5 ³ / ₁₆	775	82
			88532	CFL-D/13W/835/4P/ALTO	10	3500K	5 ³ / ₁₆	775	82
			88533	CFL-D/13W/841/4P/ALTO	10	4100K	5 ³ / ₁₆	775	82
18	CFL-D	G24q-2	88540	CFL-D/18W/827/4P/ALTO	10	2700K	5 ¹¹ / ₁₆	1075	82
			88541	CFL-D/18W/830/4P/ALTO	10	3000K	5 ¹¹ / ₁₆	1075	82
			88542	CFL-D/18W/835/4P/ALTO	10	3500K	5 ¹¹ / ₁₆	1075	82
			88543	CFL-D/18W/841/4P/ALTO	10	4100K	5 ¹¹ / ₁₆	1075	82
26	CFL-D	G24q-3	88560	CFL-D/26W/827/4P/ALTO	10	2700K	6 ¹ / ₂	1550	82
			88561	CFL-D/26W/830/4P/ALTO	10	3000K	6 ¹ / ₂	1550	82
			88562	CFL-D/26W/835/4P/ALTO	10	3500K	6 ¹ / ₂	1550	82
			88563	CFL-D/26W/841/4P/ALTO	10	4100K	6 ¹ / ₂	1550	82
CFL-T (Triple with 4-Pin)			High color rendering, high efficacy lamps featuring 4-pin base. Contains amalgam to allow use indoors and outdoors. For operation with preheat, rapid start, electronic and dimming circuits. Featuring Philips ALTO Lamp Technology.						
18	CFL-T	GX24q-2	88240	CFL-T/18W/827/ALTO*	10	2700K	4 ⁵ / ₈	1020	82
			88241	CFL-T/18W/830/ALTO*	10	3000K	4 ⁵ / ₈	1020	82
			88242	CFL-T/18W/835/ALTO*	10	3500K	4 ⁵ / ₈	1020	82
			88243	CFL-T/18W/841/ALTO*	10	4100K	4 ⁵ / ₈	1020	82
26	CFL-T	GX24q-3	88260	CFL-T/26W/827/ALTO*	10	2700K	5	1530	82
			88261	CFL-T/26W/830/ALTO*	10	3000K	5	1530	82
			88262	CFL-T/26W/835/ALTO*	10	3500K	5	1530	82
			88263	CFL-T/26W/841/ALTO*	10	4100K	5	1530	82
32	CFL-T	GX24q-3	88280	CFL-T/32W/827/ALTO*	10	2700K	5 ⁵ / ₈	2040	82
			88281	CFL-T/32W/830/ALTO*	10	3000K	5 ⁵ / ₈	2040	82
			88282	CFL-T/32W/835/ALTO*	10	3500K	5 ⁵ / ₈	2040	82
			88283	CFL-T/32W/841/ALTO*	10	4100K	5 ⁵ / ₈	2040	82
42	CFL-T	GX24q-4	88290	CFL-T/42W/827/ALTO*	10	2700K	6 ³ / ₈	2720	82
			88291	CFL-T/42W/830/ALTO*	10	3000K	6 ³ / ₈	2720	82
			88292	CFL-T/42W/835/ALTO*	10	3500K	6 ³ / ₈	2720	82
			88293	CFL-T/42W/841/ALTO*	10	4100K	6 ³ / ₈	2720	82



CFL-S



CFL-D
HAS A CLUSTER
OF 4 TUBES



CFL-T
HAS 3 U-SHAPED
TUBES

NOTE - All Shat-R-Shield non-self-ballasted compact fluorescent lamps have an average rated life of 10,000 hours.

* - Asterisk denotes lamp is NSF Certified.


PLASTIC-COATED, SHATTER-RESISTANT COMPACT FLUORESCENT LAMPS

Self-Ballasted/Retro-fit


Nominal Watts	Bulb	Base	UPC/ Catalog Order#	Ordering Description	Std. Pkg. Qty.	Kelvin Temp/ Color	Length (Inches)	Initial Lumens	CRI
CFL-EL/Twist									
High color rendering, high efficacy, long life compact fluorescent lamps with integral ballast. Medium base for retro-fit into incandescent application.									
20	CFL-EL/Twist	MED	88613	CFL-EL/TWIST/20W*	10	2700K	5 ⁵ / ₈	1100	82
23	CFL-EL/Twist	MED	88615	CFL-EL/TWIST/23W*	10	2700K	5 ¹³ / ₁₆	1400	82
CFL-EL/T (Table Lamp)									
High color rendering, high efficacy, long life compact fluorescent lamps with integral ballast. Medium base for retro-fit into incandescent application.									
25	CFL-EL/T	MED	88717	CFL-EL/T/25W*	6	2700K	6 ³ / ₁₆	1750	82
34	CFL-EL/T	MED	88718	CFL-EL/T/34W*	6	2700K	6 ³ / ₁₆	2100	82
CFL-SLS									
High color rendering, high efficacy, long life compact fluorescent lamps with integral ballast. Medium base for retro-fit into incandescent application.									
15	CFL-SLS	MED	88910	CFL-SLS/15W*	10	2700K	4 ¹⁵ / ₁₆	900	82
20	CFL-SLS	MED	88913	CFL-SLS/20W*	6	2700K	5 ⁵ / ₈	1200	82
23	CFL-SLS	MED	88915	CFL-SLS/23W*	6	2700K	6 ³ / ₁₆	1500	82
25	CFL-SLS	MED	88917	CFL-SLS/25W*	6	2700K	6 ³ / ₁₆	1750	82
34	CFL-SLS	MED	88919	CFL-SLS/34W/THREE-WAY*	10	2700K	6 ⁵ / ₈	1100/1600/2100	82



EL/Twist




ELT



SLS

* - Asterick denotes lamp is NSF Certified.

COMPACT FLUORESCENT PIN BASES



COMPACT FLUORESCENT vs INCANDESCENT	
(approximate lumen equivalent)	
5W	25W
7W	40W
9W	50W
13W	60W
18W	75W
26W	100W
32W	150W
42W	200W
Average life 10,000 hrs.	Average life 750 - 2,000 hrs.



Certified

Shat-R-Shield Has You Covered — Totally.



Shat-R-Shield also offers a full-line of safety-coated, shatter-resistant globes, fluorescent, incandescent and HID lamps.

Call for more information
(800) 223-0853

WHEN SAFETY IS A PRIORITY

shat-r-shield[®] INC.

**PLASTIC-COATED, SHATTER-RESISTANT
COMPACT FLUORESCENT LAMPS**

	Shat-R-Shield	Philips	Osram/Syl	GE	Generic
COMPACT FLUORESCENT LAMPS (PIN TYPE) - CROSS REFERENCE GUIDE	CFL-S/5W/827 CFL-S/7W/827 CFL-S/7W/835 CFL-S/7W/841 CFL-S/7W/850 CFL-S/9W/827 CFL-S/9W/835 CFL-S/9W/841 CFL-S/9W/850 CFL-S/13W/827 CFL-S/13W/830 CFL-S/13W/835 CFL-S/13W/841 CFL-S/13W/850	PL-S 5W/827 PL-S 7W/827 PL-S 7W/835 PL-S 7W/841 PL-S 7W/850 PL-S 9W/827 PL-S 9W/835 PL-S 9W/841 PL-S 9W/850 PL-S 13W/827 PL-S 13W/830 PL-S 13W/835 PL-S 13W/841 PL-S 13W/850	CF5DS/827 CF7DS/827 CF7DS/835 CF7DS/841 CF7DS/850 CF9DS/827 CF9DS/835 CF9DS/841 CF9DS/850 CF13DS/827 CF13DS/830 CF13DS/835 CF13DS/841 CF13DS/850	F5BX/SPX27 F7BX/SPX27 F7BX/SPX35 F7BX/SPX41 F7BX/SPX50 F9BX/SPX27 F9BX/SPX35 F9BX/SPX41 F9BX/SPX50 F13BX/SPX27 F13BX/SPX30 F13BX/SPX35 F13BX/SPX41 F13BX/SPX50	CFT5W/G23/827 CFT7W/G23/827 CFT7W/G23/835 CFT7W/G23/841 CFT7W/G23/850 CFT9W/G23/827 CFT9W/G23/835 CFT9W/G23/841 CFT9W/G23/850 CFT13W/GX23/827 CFT13W/GX23/830 CFT13W/GX23/835 CFT13W/GX23/841 CFT13W/GX23/850
	CFL-D/13W/827/2P/ALTO CFL-D/13W/830/2P/ALTO CFL-D/13W/835/2P/ALTO CFL-D/13W/841/2P/ALTO CFL-D/18W/827/2P/ALTO CFL-D/18W/830/2P/ALTO CFL-D/18W/835/2P/ALTO CFL-D/18W/841/2P/ALTO CFL-D/26W/827/2P/ALTO CFL-D/26W/830/2P/ALTO CFL-D/26W/835/2P/ALTO CFL-D/26W/841/2P/ALTO	PL-C 13W/827/USA/ALTO PL-C 13W/830/USA/ALTO PL-C 13W/835/USA/ALTO PL-C 13W/841/USA/ALTO PL-C 18W/827/ALTO PL-C 18W/830/ALTO PL-C 18W/835/ALTO PL-C 18W/841/ALTO PL-C 26W/827/ALTO PL-C 26W/830/ALTO PL-C 26W/835/ALTO PL-C 26W/841/ALTO	CF13DD/827 CF13DD/830 CF13DD/835 CF13DD/841 CF18DD/827 CF18DD/830 CF18DD/835 CF18DD/841 CF26DD/827 CF26DD/830 CF26DD/835 CF26DD/841	F13DBX23T4/SPX27 F13DBX23T4/SPX30 F13DBX23T4/SPX35 F13DBX23T4/SPX41 F18DBXT4/SPX27 F18DBXT4/SPX30 F18DBXT4/SPX35 F18DBXT4/SPX41 F26DBXT4/SPX27 F26DBXT4/SPX30 F26DBXT4/SPX35 F26DBXT4/SPX41	CFQ13W/GX23/827 CFQ13W/GX23/830 CFQ13W/GX23/835 CFQ13W/GX23/841 CFQ13W/GX23/850 CFQ18W/G24d/827 CFQ18W/G24d/830 CFQ18W/G24d/835 CFQ18W/G24d/841 CFQ26W/G24d/827 CFQ26W/G24d/830 CFQ26W/G24d/835 CFQ26W/G24d/841
	CFL-D/13W/827/4P/ALTO CFL-D/13W/830/4P/ALTO CFL-D/13W/835/4P/ALTO CFL-D/13W/841/4P/ALTO CFL-D/18W/827/4P/ALTO CFL-D/18W/830/4P/ALTO CFL-D/18W/835/4P/ALTO CFL-D/18W/841/4P/ALTO CFL-D/26W/827/4P/ALTO CFL-D/26W/830/4P/ALTO CFL-D/26W/835/4P/ALTO CFL-D/26W/841/4P/ALTO	PL-C 13W/827/4P/ALTO PL-C 13W/830/4P/ALTO PL-C 13W/835/4P/ALTO PL-C 13W/841/4P/ALTO PL-C 18W/827/4P/ALTO PL-C 18W/830/4P/ALTO PL-C 18W/835/4P/ALTO PL-C 18W/841/4P/ALTO PL-C 26W/827/4P/ALTO PL-C 26W/830/4P/ALTO PL-C 26W/835/4P/ALTO PL-C 26W/841/4P/ALTO	CF13DD/E/827 CF13DD/E/830 CF13DD/E/835 CF13DD/E/841 CF18DD/E/827 CF18DD/E/830 CF18DD/E/835 CF18DD/E/841 CF26DD/E/827 CF26DD/E/830 CF26DD/E/835 CF26DD/E/841	F13DBX/SPX27/4P F13DBX/SPX30/4P F13DBX/SPX35/4P F13DBX/SPX41/4P F18DBX/SPX27/4P F18DBX/SPX30/4P F18DBX/SPX35/4P F18DBX/SPX41/4P F26DBX/SPX27/4P F26DBX/SPX30/4P F26DBX/SPX35/4P F26DBX/SPX41/4P	CFQ13W/G24q/827 CFQ13W/G24q/830 CFQ13W/G24q/835 CFQ13W/G24q/841 CFQ18W/G24q/827 CFQ18W/G24q/830 CFQ18W/G24q/835 CFQ18W/G24q/841 CFQ26W/G24q/827 CFQ26W/G24q/830 CFQ26W/G24q/835 CFQ26W/G24q/841
	CFL-T/18W/827/ALTO CFL-T/18W/830/ALTO CFL-T/18W/835/ALTO CFL-T/18W/841/ALTO CFL-T/26W/827/ALTO CFL-T/26W/830/ALTO CFL-T/26W/835/ALTO CFL-T/26W/841/ALTO CFL-T/32W/827/ALTO CFL-T/32W/830/ALTO CFL-T/32W/835/ALTO CFL-T/32W/841/ALTO CFL-T/42W/827/ALTO CFL-T/42W/830/ALTO CFL-T/42W/835/ALTO CFL-T/42W/841/ALTO	PL-T 18W/827/4P/ALTO PL-T 18W/830/4P/ALTO PL-T 18W/835/4P/ALTO PL-T 18W/841/4P/ALTO PL-T 26W/827/4P/ALTO PL-T 26W/830/4P/ALTO PL-T 26W/835/4P/ALTO PL-T 26W/841/4P/ALTO PL-T 32W/827/4P/ALTO PL-T 32W/830/4P/ALTO PL-T 32W/835/4P/ALTO PL-T 32W/841/4P/ALTO PL-T 42W/827/4P/ALTO PL-T 42W/830/4P/ALTO PL-T 42W/835/4P/ALTO PL-T 42W/841/4P/ALTO	CF18DT/E/IN/827 CF18DT/E/IN/830 CF18DT/E/IN/835 CF18DT/E/IN/841 CF26DT/E/IN/827 CF26DT/E/IN/830 CF26DT/E/IN/835 CF26DT/E/IN/841 CF32DT/E/IN/827 CF32DT/E/IN/830 CF32DT/E/IN/835 CF32DT/E/IN/841 CF42DT/E/IN/827 CF42DT/E/IN/830 CF42DT/E/IN/835 CF42DT/E/IN/841	F18TBX/SPX27/A/4P F18TBX/SPX30/A/4P F18TBX/SPX35/A/4P F18TBX/SPX41/A/4P F26TBX/SPX27/A/4P F26TBX/SPX30/A/4P F26TBX/SPX35/A/4P F26TBX/SPX41/A/4P F32TBX/SPX27/A/4P F32TBX/SPX30/A/4P F32TBX/SPX35/A/4P F32TBX/SPX41/A/4P F42TBX/SPX27/A/4P F42TBX/SPX30/A/4P F42TBX/SPX35/A/4P F42TBX/SPX41/A/4P	CFTR18W/GX24q/827 CFTR18W/GX24q/830 CFTR18W/GX24q/835 CFTR18W/GX24q/841 CFTR26W/GX24q/827 CFTR26W/GX24q/830 CFTR26W/GX24q/835 CFTR26W/GX24q/841 CFTR32W/GX24q/827 CFTR32W/GX24q/830 CFTR32W/GX24q/835 CFTR32W/GX24q/841 CFTR42W/GX24q/827 CFTR42W/GX24q/830 CFTR42W/GX24q/835 CFTR42W/GX24q/841

NOTE - The lumen output of our plastic-coated compact fluorescent lamps is slightly lower than an uncoated compact fluorescent lamp of the same type.